

**上海炬照智能设备有限公司**  
**Shanghai Torzn Intelligent Equipment Co.,Ltd**

上海市松江区洞泾镇洞库路 601 号






No.601, Dongshe Rd., Dongjing Industrial Zone, Songjiang District 201619, Shanghai.

Tel: +86-021-67675580

Fax: +86-021-67670223

**Quotation list**

DATE: 2024-01-01

Commodity and specification	PICTURE	KEY PARAMETER	Amount FOB SHANGHAI
CW-150 check weigher		Range 3-500g Accuracy: ±0.3g Maxspeed:150pcs/min	
CW-220 check weigher		Range 3-1200g Accuracy: ±0.5g Max speed: 150pcs/min	
CW-300 check weigher		Range 5-5000g Accuracy: ±1g Max speed: 150pcs/min	
CW-450 CHECK WEIGHER roller push bar		Range 10g-18kg Accuracy: ±5g Max speed: 62pcs/min	
CW-500 CHECKWEIGHER roller push bar		Range 50g-50kg Accuracy: ±10g Max speed: 50pcs/min	
<p>Main configuration:</p> <ol style="list-style-type: none"> <li>1. HMI: 10' MSCG/7' Siemens, Multi-language</li> <li>2. PLC: Mitsubishi/Siemens.</li> <li>3. Load cell: HBM/Mettler Toledo.</li> <li>4. USB output (RS485/Ethernet optional combo with scanner, printer etc.)</li> <li>5. Waterproof and quick disassembly design.</li> <li>6. Free OEM, test report and video before delivery.</li> <li>7. One year for all machine except the touch screen and load cell.</li> <li>8. Stand machine cycle: 5 working days.</li> </ol>			
Above quotation include rejector system.			

# 上海炬照智能设备有限公司





## Shanghai Torzn Intelligent Equipment Co.,Ltd

上海市松江区洞泾镇洞库路 601 号

No.601, Dongshe Rd., Dongjing Industrial Zone, Songjiang District 201619, Shanghai.

Tel: +86-021-67675580

Fax: +86-021-67670223

Commodity and specification	PICTURE	KEY PARAMETER	AmountFOB SHANGHAI
MD series all metal detector		Aperture size: 400W*100H Sensitivity: Fe: 0.8 SUS:1.5	
ZD series aluminum foil metal detector		Aperture size 400W*100H Sensitivity: Fe: 0.8	
<ol style="list-style-type: none"> <li>1. Different product different sensitivity, it is in the center of probe without effect above.</li> <li>2. Free OEM, test report and video before delivery.</li> <li>3. Stand machine cycle: 15working days.</li> </ol>			
MD-CW combo		Combination parameter	
Grade sorter		Grade6/8/10	

Commodity and specification	PICTURE	KEY PARAMETER	AmountFOB SHANGHAI
ND-600 Needle detector		Standard	

# 上海炬照智能设备有限公司


## Shanghai Torzn Intelligent Equipment Co.,Ltd

上海市松江区洞泾镇洞库路 601 号

No.601, Dongshe Rd., Dongjing Industrial Zone, Songjiang District 201619, Shanghai.

Tel: +86-021-67675580

Fax: +86-021-67670223

Commodity and specification	PICTURE	KEY PARAMETER	AmountFOB SHANGHAI
Weigh price labeler		10g-5,000g Max: 30pcs/min	

### Technical parameters

CWL-300 weigh price labeler technical datasheet		
weighing	Weighing capacity	10g-5000
	Mini scale	0.1g
	Accuracy	1g
	Belt speed	5-85m/min
	Weighing tray size	300*600mm(W*L)
Printing	Printer	Zebra ZE500-4/-6
	Method	Direct thermal printing
	Resolution	203dpi/8 dots per mm Or 300dpi/12 dots per mm
	Max print width	104mm/168mm
	Print speed	156mm/s
Labeling	Precision	±1mm
	Speed	Max 25-30 depends on label size and content
Software and hardware output	System	Windows 10
		Label designer/ERP, USB/RS485/Ethernet TCP/IP/ Parallel
Structure	Stainless steel 304 and anodized aluminum.	
Power supply	220V 50Hz	
Air supply	0.5-0.6Mpa	
Labeling speed	Max 30pcs/min.	

# 上海炬照智能设备有限公司


## Shanghai Torzn Intelligent Equipment Co.,Ltd

上海市松江区洞泾镇洞库路 601 号

No.601, Dongshe Rd., Dongjing Industrial Zone, Songjiang District 201619, Shanghai.

Tel: +86-021-67675580





Fax: +86-021-67670223



### Configuration

No.	Item	Brand
1	Conveyor belt	HABASIT (Food grade)
2	Load cell	HBM
3	Inverter	Mitsubishi
4	PLC	Siemens
5	Printer	Zebra
6	Air cylinder	Chelic
7	Photoelectric	Keyence
8	Computer	Widows 10

## X-ray inspection price list

Model No. <b>W*H mm</b>	Picture	Application	Comments	Unit Price USD
<b>C2412</b>			150W Air blast/pusher	
<b>C4016</b>			210W Pusher	
SUS ball:0.3mm, SUS wire:0.2mm*2mm, Glass ball: 1.0mm				

# 上海炬照智能设备有限公司













## Shanghai Torzn Intelligent Equipment Co.,Ltd

上海市松江区洞泾镇洞库路 601 号

No.601, Dongshe Rd., Dongjing Industrial Zone, Songjiang District 201619, Shanghai.

Tel: +86-021-67675580

Fax: +86-021-67670223

C6030			350W Pusher	
SUS ball:0.4mm, SUS wire:0.3mm*2mm, Glass ball: 1.0mm				
D1623			350W Pusher Belt conveyor	
D1825			350W Pusher	
D2253			480W Dual Energy	
SUS ball:0.4mm, SUS wire:0.3mm*2mm, Glass ball: 1.0mm				
B4010			210W Chute/dropout	
B4010			210W 48channel accurate air blast	
SUS ball:0.3mm, SUS wire:0.2mm*2mm, Glass ball: 1.0mm				
<b>Customized models</b>				

# 上海炬照智能设备有限公司







## Shanghai Torzn Intelligent Equipment Co.,Ltd

上海市松江区洞泾镇洞库路 601 号

No.601, Dongshe Rd., Dongjing Industrial Zone, Songjiang District 201619, Shanghai.

Tel: +86-021-67675580

Fax: +86-021-67670223

<p><b>C3915</b> Economy</p>			<p>80W</p>	
<p>SUS ball:0.5mm, SUS wire:0.4mm*2mm, Glass ball: 1.0mm</p>				
<p><b>F4010</b></p>			<p>350W</p>	
<p>SUS ball:0.2mm SUS wire:0.1mm*2mm, Glass ball: 1.0mm</p>				
<p><b>C7040</b></p>			<p>350W/480W optional</p>	
<p>SUS ball:0.5mm SUS wire:0.4mm*2mm, Glass ball: 1.5mm</p>				

